



SWEEPERS - RIDE ON

712R

MAX PRODUCTIVITY

4500 m²/h

MAIN BRUSH PATH

700 mm

VOLTAGE SYSTEM

24 v



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



SOFT
CLEANING
SURFACE



DBL™
DOUBLE
BATTERY
LIFE

SPECS



INTUITIVE CONTROL PANEL



FRONTAL WASTE TRAY



EASY MAINTENANCE

TECHNICAL DATA

		712RET	712RST
Code		MSUB00387	MSUB00393
PERFORMANCE			
Main brush cleaning path width	mm	700	700
Side brush cleaning path width	mm	900	900
Max theoretical productivity	m ² /h	4500	4500
Voltage	V-Ah	24	24
Installed power	W /HP	480 W	480 W+4 Hp
Hopper capacity	l	50	50
Hopper Discharge System	Type/mm	Low-Manual	Low-Manual
Filtering surface	m ²	2,9	2,9
Fylter type		Panel -paper	Panel -paper
Max speed	km/h	5	5
Max Climb	%	2	2
Weight whitout batteries	kg	140	173
Dimension (LxWxH)	mm	1180x943x1182	1180x943x1182

STANDARD ACCESSORIES

	712RET	712RST
BRUSHES		
MAIN BRUSH	SPPV76062	SPPV76062
SIDE BRUSH	SPPV76056	SPPV76056
FILTERS		
FILTER	FTDP85229	FTDP85229

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	140	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x170x285	140	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate battery BAAC00070	2	12V 118 Ah (C5)	345x170x285	150	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060
Acid flat plate battery BAAC00009	2	12V 105 Ah (C5)	345x170x285	140	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IP Cleaning S.p.A.

Viale Treviso 63 - 30026 Summaga di Portogruaro (VE) - Italy
Tel. +39 0421 205511 - Fax +39 0421 204227 - info@ipcworldwide.com - www.ipcworldwide.com

