



HIGH-PRESSURE WASHERS - COLD WATER

PW-C85

PRESSURE

110÷350
bar

FLOW RATE

600÷1800
l/h

ABSORBED POWER

3÷12,5
kW

EXCLUSIVE CHARACTERISTICS

- ▶ BY-PASS - BYP
- ▶ THERMOSTATIC VALVE - TSV (BY PASS MODELS)
- ▶ DELAYED TOTAL STOP - DTS ("D" MODELS)
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF ("D" MODELS)
- ▶ MICRO LEAKAGE CONTROL - MLC ("D" MODELS)
- ▶ DRY RUNNING PROTECTION - DRP ("D" MODELS)
- ▶ NOZZLE CLOGGED CONTROL - NCC ("D" MODELS)
- ▶ WORKING HOURS COUNTER - WHC ("D" MODELS)
- ▶ FLOODING PREVENTION SYSTEM - FPS ("D" MODELS)



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



IPC PLUNGER PUMP WITH BRASS HEAD AND CERAMIC PISTONS



HEAVY-DUTY STRUCTURE, ANTI-COLLISION, STEEL FRAME COVER



MAINTENANCE-FREE ELECTRIC MOTOR, AIR-COOLED AND PROTECTED WITH THERMAL CUTOUT

TECHNICAL DATA

		3 HP		5,5 HP
BY-PASS MODELS		PW-C85 1310P4 M	PW-C85 1113P4 M	PW-C85 1813P T
Code		IDAF40804	IDAF40805	IDAF40806
TOTAL STOP MODELS		PW-C85 D1310P4 M	PW-C85 D1113P4 M	PW-C85 D1813P T
Code		IDAF40818	IDAF40819	IDAF40823
PERFORMANCE				
Operating pressure	bar/Mpa	130/13	110/11	180/18
Flow rate	l/h	600	720	780
Max inlet water temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	1-230-50/14,5	3-400-50/8,6
Absorbed power	kW	3	3	4,7
Motor pole/rpm		4-1400	4-1400	2-2800
Remote control		BYP/DTS	BYP/DTS	BYP/DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-
Detergent delivery		-	-	-
Dimension (LxWxH)	cm	78x59x90	78x59x90	78x59x90
Weight	Kg	62	62	65

STANDARD EQUIPMENT

CODE: IPPR40020
HANDGRIP G6000



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN11196
H.P. NOZZLE 1/4
UG.15034 (FOR 1310P4)



CODE: UGLN02294
H.P. NOZZLE 1/4
UG.15055 (FOR 1113P4)



CODE: UGLN49986
H.P. NOZZLE 1/4 UG.1504
(FOR 1813P)



CODE: TBAP25324
HIGH PRESSURE HOSE
10 m



OPTIONAL ACCESSORIES

CODE: SPID24911
ROTATING HYDROBRUSH
LANCE



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m



CODE: TBAP24406
DRAIN KIT 20 m



CODE: LCPR24906
LANCE WITH DOUBLE
NOZZLE HOLDER



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAM HEAD KIT



CODE: TBAP40062
FLEXIBLE HOSE 15 m



CODE: TBAP44379
FLEXIBLE HOSE 20 m



CODE: LCPR13557
SANDBLASTER KIT Ø 1,6
(FOR 1113P4/1813P)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4
(FOR 1310P4)



CODE: PRCH00065
SAND BAG 50 Kg



CODE: LCPR93178
TURBO LANCE TTR-16
+M22 Ø1,35 -
(FOR 1310P4)



CODE: LCPR40016
TURBO LANCE TTR-16
+M22 Ø1,40 - (FOR 1813P)



CODE: LCPR40053
TURBO LANCE TPR-20
+M22 Ø1,50 -
(FOR 1113P4)



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 - (FOR 1310P4)



CODE: LCLC49493
LANCE FOR WASHING FLOORS
0,45 - (FOR 1113P4/1813P)



CODE: KTRI40399
HOSE REEL KIT



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4/1113P4)



CODE: KTRI40317
MAINTENANCE KIT 500H
(FOR 1813P)



TECHNICAL DATA

		6 HP		7,5 HP	
BY-PASS MODELS		PW-C85 1813P4 T	PW-C85 1915P T	PW-C85 2017P T	PW-C85 1521P T
Code		IDAF40807	IDAF40808	IDAF40809	IDAF40813
TOTAL STOP MODELS		PW-C85 D1813P4 T	PW-C85 D1915P T	PW-C85 D2017P T	PW-C85 D1521P T
Code		IDAF40824	IDAF40825	IDAF40826	IDAF40828
PERFORMANCE					
Operating pressure	bar/Mpa	180/18	190/19	200/20	150/15
Flow rate	l/h	780	900	1000	1300
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/9	3-400-50/9,4	3-400-50/13,8	3-400-50/13,8
Absorbed power	kW	4,7	5,1	6,4	6,4
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		BYP/DTS	BYP/DTS	BYP/DTS	BYP/DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		-	-	-	-
Dimension (LxWxH)	cm	78x59x90	78x59x90	78x59x90	78x59x90
Weight	Kg	70	70	80	80

STANDARD EQUIPMENT

CODE: IPPR40020
HANDGRIP G6000



CODE: LCPR40087
EXTENSION P70 INOX
(FOR 1915/2017)



CODE: LCPR40159
EXTENSION P70 INOX 0°
(FOR 1813/1521)



CODE: UGLN49986
HIGH PRESSURE NOZZLE
(FOR 1813)



CODE: UGLN49987
HIGH PRESSURE NOZZLE
(FOR 1915/2017)



CODE: UGLN49997
HIGH PRESSURE NOZZLE
(FOR 1521)



CODE: TBAP25324
HIGH PRESSURE HOSE
10 m



OPTIONAL ACCESSORIES

CODE: SPID24911
ROTATING HYDROBRUSH
LANCE



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m



CODE: TBAP24406
DRAIN KIT 20 m



CODE: LCPR24906
LANCE WITH DOUBLE
NOZZLE HOLDER



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAMER HEAD KIT 1 l



CODE: TBAP40062
FLEXIBLE HOSE 15 m




CODE: TBAP44379
FLEXIBLE HOSE 20 m



CODE: LCPR13557
SANDBLASTER KIT Ø 1,6
(FOR 1915P4/2017P4)



CODE: LCPR14859
SANDBLASTER KIT Ø 1,6
(FOR 1813P4)



CODE: PRCH00065
SAND BAG 50 Kg



CODE: LCPR93178
TURBO LANCE TTR-16 +M22
Ø1,35 (FOR 1915P/2017P)



CODE: LCPR40014
TURBO LANCE TPR-20
+M22 Ø1,30 (FOR 1813P4)



CODE: LCPR40131
TURBO LANCE P70 + M22
Ø0,80 (FOR 1521)



CODE: LCLC49493
LANCE FOR WASHING FLORS
0,45 (FOR 1813P4/1915P)



CODE: LCLC49494
LANCE FOR WASHING FLORS
0,55 (FOR 2017P/1521P)



CODE: KTRI40399
HOSE REEL KIT



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 1521)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1813P4/1915)



CODE: KTRI40338
MAINTENANCE KIT 500H
(FOR 2017)



TECHNICAL DATA

		9 HP		12,5 HP	15 HP	
BY-PASS MODELS		PW-C85 1626P T	PW-C85 2021P T	PW-C85 1630P T	PW-C85 2030P T	PW-C85 3515P T
Code		IDAF40814	IDAF40816	IDAF40815	IDAF40817	IDAF40812
TOTAL STOP MODELS		PW-C85 D1626P T	PW-C85 D2021P T	PW-C85 D1630P T	PW-C85 D2030P T	PW-C85 D3515P T
Code		IDAF40829	IDAF40831	IDAF40830	IDAF40832	IDAF40827
PERFORMANCE						
Operating pressure	bar/Mpa	160/16	200/20	160/16	200/20	350/35
Flow rate	l/h	1600	1300	1800	1800	900
Max inlet water temperature	°C	50	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/18	3-400-50/16,4	3-400-50/21,3	3-400-50/23	3-400-50/20,5
Absorbed power	kW	8,8	8,1	10,9	12,5	11
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400	4-1400
Remote control		BYP/DTS	BYP/DTS	BYP/DTS	BYP/DTS	BYP/DTS
Pump/head/pistons		lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic
Detergent tank	l	-	-	-	-	-
Detergent delivery		-	-	-	-	-
Dimension (LxWxH)	cm	78x59x90	78x59x90	78x59x90	78x59x90	78x59x90
Weight	Kg	85	85	98	115	115

STANDARD EQUIPMENT

CODE: IPPR40020
HANDGRIP G6000
(NOT FOR 3515)



CODE: IPIP42787
GRIP RL56 M24 + 3/8
(FOR 3515)



CODE: LCPR40159
EXTENSION P70 INOX 0°
(NOT FOR 3515)



CODE: LCLC42786
EXTENSION L=105 cm
(FOR 3515)



CODE: UGLN02314
H.P. NOZZLE 1/4 UG.2510
(FOR 1626/2030)



CODE: UGLN02303
H.P. NOZZLE 1/4
UG.15065 (FOR 2021)



CODE: UGLN75314
H.P. NOZZLE 1/4 UG.2511
(FOR 1630)



CODE: UGLN40026
H.P. NOZZLE 1/4 UG.15035
500BAR (FOR 3515)



CODE: TBAP25324
H.P. HOSE R1 10 m 5/16"
M22 (FOR 2021)



CODE: TBAP40010
H.P. HOSE R2 10 m 3/8"
M22 (FOR 1626/1630/2030)



CODE: TBAP00029
H.P. HOSE R2 10M 5/16"
3/8M-M - (FOR 3515)



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS M22
(NOT FOR 3515)



CODE: SPID24911
ROTATING HYDROBRUSH
LANCE (NOT FOR 3515)



CODE: TBAP23853
DRAIN KIT 10 m
(NOT FOR 3515)



CODE: TBAP24406
DRAIN KIT 20 m
(NOT FOR 3515)



CODE: LCPR24906
LANCE WITH DOUBLE
NOZZLE HOLDER
(NOT FOR 3515)



CODE: LCPR29360
MUDGUARD LANCE P90
(NOT FOR 3515)



CODE: LCPR40040
FOAMER HEAD KIT 1 l
(NOT FOR 3515)



CODE: TBAP40062
FLEXIBLE HOSE 15 m
(NOT FOR 3515)



CODE: TBAP44379
FLEXIBLE HOSE 20 m
(NOT FOR 3515)



CODE: LCPR40106
SANDBLASTER KIT Ø 035 mm
(FOR 3515)



CODE: PRCH00065
SAND BAG 50 Kg



CODE: LCPR40132
TURBO LANCE P70 + M22
Ø,80 - (FOR 2021)



CODE: LCPR40133
TURBO LANCE TPR-20
+M22 Ø,70 - (FOR
1626/2030)



CODE: LCLC47893
TURBO LANCE 105CM
UG.035 - (FOR 3515)



CODE: LCPR40134
TURBO LANCE P70 M22
1,10 (FOR 1630)



CODE: LCLC49494
LANCE FOR WASHING FLORS
0,55 (FOR 2021/1626)



CODE: KTRI40399
HOSE REEL KIT (FOR 2021)



CODE: KTRI40400
HOSE REEL KIT
(FOR 1626/ 1630 / 2030)



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 2021)



CODE: KTRI40437
MAINTENANCE KIT 500H
(FOR 1626)



CODE: KTRI40440
MAINTENANCE KIT 500H
(FOR 3515)

CODE: KTRI40441
MAINTENANCE KIT 500H
(FOR 1630/2030)