



## SWEEPERS - WALK BEHIND

# 512

The 512/712 Vacuum Sweepers represent a revolution in the vacuum sweeping of carpets and hard surface floors. With built-in battery chargers, large debris litter gates, and battery run times of up to 4.5 hours, they bring a new level of productivity to floor maintenance.

### MAX PRODUCTIVITY

27,000<sup>ft</sup><sup>2</sup>/h

### BATTERY RUN TIME

2.8<sub>h</sub>

### NOISE LEVEL

28" cleaning path

13 gal capacity

### MOST FREQUENT USE

#### RETAIL




#### HOSPITALITY



#### CLEANING CONTRACTORS



#### EDUCATION



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY




EASY MAINTENANCE





## SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



## SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.





## Other Features

- Self cleaning filter system providing optimum vacuum performance
- Main brush pressure adjustment with great dust control
- Dust flap for large debris collection
- Easy to use control panel
- Great working visibility
- Designed to assure minimum noise levels
- Dust filter replacement without tools
- Easy access to motor compartment
- Heavy duty chassis in fully coated steel
- Maximum protection against impact
- Panel control switches protected against water and humidity
- Battery level indicator
- On board charger

PRODUCTIVITY

Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup>	27,000/ 2,500 m <sup>2</sup>
Max working width	in/mm	28 in/ 700 mm
Hopper volume	Gal/ l	13 gal/ 50 l
Weight	lbs/ kg	165 lbs/ 75 kg
Noise level	dB	55 dBa
Run time	min	170

AVAILABLE ACCESSORIES

145 AH BATTERY  
12V145




100 AGM BATTERY  
12V100-AGM



140 AGM BATTERY  
12V140-AGM



PRE-FILTER  
T8PF5



BATTERY WATERING  
SYSTEM  
CR-BWS-S-1



GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft <sup>2</sup> / h	Maximum Theoretical ft <sup>2</sup> /charge	Ft <sup>2</sup> charge efficiency (70%)
512ET	145ah Battery	4.0	27,117	108,470	75,929
512ET	100ah AGM Battery	2.8	27,117	76,096	53,267
512ET	140ah AGM Battery	4.0	27,117	108,468	75,928



IPC Eagle Corporation  
12450 Oliver Ave S Burnsville, MN 55337

800-486-2775  
info@ipceagle.com