



SWEEPERS - WALK BEHIND

712

The 512/712 Vacuum Sweepers represent a revolution in the vacuum sweeping of carpets and hard surface floors. With built-in battery chargers, large debris litter gates, and battery run times of up to 4.5 hours, they bring a new level of productivity to floor maintenance.

MAX PRODUCTIVITY

35,000 ft²/h

BATTERY RUN TIME


4.0 h

NOISE LEVEL

36" cleaning path

17 gal capacity

MOST FREQUENT USE



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY



EASY MAINTENANCE

INNOVATIONS




SOFT
CLEANING
SURFACE



SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.





.01 ADJUSTABLE
HANDLE

.03
TILTABLE TANK

.04 EASY ACCESS
TO INTERNAL
COMPONENTS

.02 SELF-LEVELING BRUSH

Other Features

- Self cleaning filter system providing optimum vacuum performance
- Main brush pressure adjustment with great dust control
- Dust flap for large debris collection
- Easy to use control panel
- Great working visibility
- Designed to assure minimum noise levels
- Dust filter replacement without tools
- Easy access to motor compartment
- Heavy duty chassis in fully coated steel
- Maximum protection against impact
- Panel control switches protected against water and humidity
- Battery level indicator
- On board charger

712

712

Max working width	in/ mm	36"/ 900mm
Main brush width	in/ mm	28"/700 mm
Highest productivity	ft ² /h - m ² /h	34,865 ft ² / 3,239 m ²
Dirt container volume	gal	17 gal/ 65 l
Weight	lbs/ kg	205 lbs/93 kg
Dimensions	inches	48 x 37 x 36
Power Supply	V	24 (2 x 12)
Max Speed	mph/ kph	2.2 mph/ 3.5 kph
Filter surface	ft ² / m ²	32 ft ² / 3 m ²
Filter shaker		standard
Noise level	dB	67 dB

AVAILABLE ACCESSORIES

145 AH BATTERY
12V145




100 AGM BATTERY
12V100-AGM



140 AGM BATTERY
12V140-AGM



PRE-FILTER
T8PF5



BATTERY WATERING SYSTEM
CR-BWS-S-2



GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft ² / h	Maximum Theoretical ft ² /charge	Ft ² charge efficiency (70%)
712ET	145ah Battery	3.5	34,865	122,028	85,420
712ET	100ah AGM Battery	2.8	34,865	97,622	68,335
712ET	140ah AGM Battery	4.0	34,865	138,740	97,118



IPC Eagle Corporation
3650 Dodd Road Eagan, MN 55123
800-486-2775
info@ipceagle.com