Extractors





Box and self-contained extractors

# WHEN YOU NEED IT CLEANED FAST!



#### Extractors

## **Fastracts**





### SC4

Perfect for quick and easy cleanup of smaller areas, rooms and spots in restaurants, hotels, schools, health-care facilities and homes.

- Cleaning width 12"
- Tank capacity 4 gallons
- Folding handle and compact design makes it easy to transport and store
- Exclusive lift-off bucket with bladder holds both clean and soiled water, makes it easy to fill and empty with no spills or mess
- Self adjusting, self levelling brush eliminates manual adjustment
- Designed for easy maintenance
- Cleans stairs and upholstery with optional tools



## SC7 / SC12

These 7 and 12 gallon self-contained extractors offer portability, ease of operation, and performance. With up to a 19" wide cleaning path, high speed brush, and dual vacuum motors, the SC7 and SC12 can clean and dry carpets fast!

- Capacity 7 and 12 gallon models
- Cleaning paths 19" (SC12) and 17" (SC7)
- Patented, 4 wheel design for excellent balance and turning radius
- Dual vacuum motors for fast dry times
- Self-adjusting, self-levelling brush eliminates manual adjustment.
- Easy lift-off recovery bucket with no hose to detach
- Dual buckets with the SC12 for safe lifting and dumping of solution
- High speed brush for fast cleaning
- Adjustable handle and large wheels make climbing stairs and curbs easy
- Exclusive clamshell body allows for easy service
- Cleans stairs, floors, and upholstery with optional tools and hoses
- Vacuum head is off-set to clean up to baseboards and corners



#### Extractors

## **Fastracts**





### **BX12**

The BX12 is designed to provide professional cleaning performance. With astandard 150 psi pump, dual vacuums, and an optional in-line heater, the BX12 has the power to reclaim the dirtiest of carpets.

- Powerful, 150 psi pump and dual vacuum motors with 150" water lift provides for optimum cleaning
- Available with or without built-in heater
- Opens like a clam shell, to allow access to motor compartment, guaranteeing fast, inexpensive service
- Compact design at only 78 pounds provides exceptional portability
- Sealed waterproof switches are inset at the top of the handle, ensures safety and ease of operation
- All motors are mounted to a metal baseplate to guarantee long-term durability.
- All fittings -- such as the strain relief, quick disconnect, etc. -- are fully protected, eliminating breakage during transport, storage and operation
- High dump allows for easy emptying into a 5 gallon bucket
- Vacuum motors are mounted upright (not sideways or upside down), eliminating premature bearing failure
- Intercooler cools the motor compartment, extending motor life
- Stair climbing handle and 10-inch rear wheels for easy transport
- Cleans stairs and upholstery with optional tools



### BX2

The only small extractor truly designed to be a spotter. With a built-in transporthandle, molded-in holders for spray bottles, and a place to wrap the cord and hose, it is ready to clean those spots whenever you are!

- At 17 pounds, it is compact and maneuverable
- Tank capacity 2 gallons
- Built-in handle and 6" wheels makes it easy to transport
- Built-in spray bottle holders transform the machine into a spotting system
- Only upright-mounted vacuum motor on the market to insure longer motor life
- Over sized recovery to control foam
- Quickly opens up for easy servicing and repair

## **Fastracts**



| Model                                     | <b>SC4</b><br>4 Gallon<br>Extractor<br>Self-contained | <b>SC7</b><br>7 Gallon<br>Extractor<br>Self-contained | <b>SC12</b><br>12 Gallon<br>Extractor<br>Self-contained | <b>BX12</b><br>12 Gallon<br>Box Extractor | <b>BX2</b><br>2 Gallon<br>Spotter |
|---|---|---|---|---|-----------------------------------|
| Cleaning Width                            | 12″   | 17″   | 19"   | N/A                                       | N/A                               |
| Solution Tank                             | 4.5 gallon  | 7gallon   | 12 gallon   | 12 gallon                                 | 2 gallon                          |
| Recovery Tank                             | 3 gallon  | 7 gallon  | 11 gallon dual  | 11 gallon                                 | 3.5 gallon                        |
| Solution Pressure                         | 50 psi  | 50 psi  | 100 psi   | 150 psi                                   | 55 psi                            |
| Vacuum Motor                              | 2 stage vacuum,<br>2 hp, 112 CFM<br>107″ water lift   | 2 stage vacuum<br>2 hp, 112 CFM<br>107″ water lift    | Dual, 2 stage<br>200 CFM<br>150″ water lift             | Dual, 2 stage<br>150″ water lift          | 2 stage<br>86" waterlift          |
| Cylindrical Brush                         | 1/6 HP<br>self-adjusting<br>2500 RPM                  | 1/6 HP<br>self-adjusting<br>2100 RPM                  | 1/6 HP<br>self-adjusting<br>2100 RPM                    | N/A                                       | N/A                               |
| Wheels                                    | 2″ x 7″   | 4″ x 7″   | 4″ x 8″   | 2" x 20"<br>2" x 4" caster                | 2″ x 6″                           |
| Power Cord                                | 25′   | 50′   | 50′   | 2-50' (heat)                              | 25′                               |
| Weight                                    | 40 lbs  | 78 lbs  | 106 lbs   | 78 lbs                                    | 17 lbs                            |
| Shipping Weight                           | 53 lbs  | 87 lbs  | 140 lbs   | 89 lbs                                    | 31 lbs                            |
| Height/Length/Width<br>(w/handle upright) | 24″ x 23″ x 12″                                       | 39″ x 30″ x 17″                                       | 38″ x 48″ x 25″   | 35" x 31" x 18"                           | 20.5" x 15" x 13"                 |
| Circuit Breaker                           | 250V AC   | 250V AC   | 250V AC   | N/A                                       | N/A                               |
| Optional Heater                           | No  | No  | No  | Yes                                       | No                                |
| Solutions Hose                            | Optional  | Optional  | Optional  | 15', 3/8" Diameter                        | 8'                                |
| Vacuum Hose                               | Optional  | Optional  | Optional  | 15', 1-1/2"<br>Crush resistent            | 8′                                |



3650 Dodd Rd • Eagan, MN 55123 651.686.5399 • Fax 651.686.5695 • 800.486.2775 www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided By: