

ULTRA PURE CLEANING SYSTEMS


PULEX™

member of



WHAT IS PURE WATER WINDOW CLEANING?

Pure Water Window Cleaning is a process that filters ordinary tap water to remove impurities, leaving behind no chemical residue and a streak-free shine. Cleaning windows with pure water produces professional results with simple-to-use equipment that saves time and money by reducing chemicals and eliminating manual drying.



LESS CHEMICAL

Reduce the use of cleaning chemicals that may be harmful to the environment.



LABOR SAVINGS

Windows dry spot free, without the use of a squeegee.



USER FRIENDLY

Pure water systems are easy to set up and can be used with normal tap pressure.

THE POWER OF HIGH REACH WINDOW CLEANING

Windows on commercial facilities are often beyond the reach of conventional cleaning and require ladders, scaffolding or manual tools to reach them. High reach cleaning systems feature specialized poles and attachments to access and clean windows on multi-story commercial structures.



REACH AND VERSATILITY

Telescopic poles are equipped with hoses that carry water to clean where traditional tools can't.



ERGONOMIC DESIGN

Lightweight carbon fiber makes the poles easy to transport and quickly extend to make high reach window cleaning easier.



INCREASED SAFETY

High reach cleaning allows window cleaning pros to clean safely from the ground.



HYDRO CART

HYDROCART JR	P. 5
HYDROCART COMPACT	P. 6
HYDROCART PRO	P. 7

HYDROCART JR

HYDROCART JR

The HydroCart Jr. is designed for easy transportation while maximizing time and results for pure water window cleaning. Available in a single-stage option to maximize water flow with a compact system when used in specific environments.

HYDROCART JR SINGLE STAGE

HYDROCART JR 3-STAGE

SINGLE STAGE FILTRATION (DEIONIZATION ONLY)

For environments
where TDS of supply
water measures <200



3-STAGE FILTRATION



CODE	PURE WATER FLOW	DIMENSIONS	WEIGHT
JR-DI	.75 GPM	23"x15.5"x 41.5"	59 lbs

CODE	PURE WATER FLOW	DIMENSIONS	WEIGHT
HYDROCART-JR	1.5 GPM	23"x15.5"x 41.5"	71 lbs

HYDROCART COMPACT

The HydroCart Compact is a high output pure water system in an easy-to-maneuver, compact design that can be used to clean windows and glass in commercial buildings inside or outside.

HYDROCART COMPACT
TAP PRESSURE



3-STAGE
FILTRATION

ELECTRIC PUMP MODULE



GAS PUMP MODULE



Hydrocart Compact Tap Pressure		Pump Module - Electric		Pump Module - Gas
Part Number		HCC	EB-HCC	GB-HCC
Power		No Pump	115V AC 60 Hz. 5.2 amp, 35' power cord	Gas Engine
Dimensions	Inches	50.5" x 14.5" x 15.25"	18" x 11" x 10"	18" x 11" x 10"
Packaged Dimensions	Inches	52.5" x 18.5" x 13.5"	15" x 13" x 11"	15" x 13" x 11"
Packaged Weight	lbs	70 lbs	28 lbs	28 lbs
Pure Water Flow	gpm	.5 gpm	.75-1.25 gpm	.75-1.25 gpm
Cleaning Height	Floors	1-3 Floors	1-4 Floors	1-5 Floors
Working Hose Length	feet/cm	50'/1524 cm	-	-
Filtration	Stages	3	3	3
DI and Carbon Filters	Inches	3" X 10"	-	-

HYDROCART PRO

The HydroCart Pro is an essential part of IPC's Ultra Pure Window Cleaning Equipment line and is able to produce a high volume of pure water with normal tap pressure.

4-STAGE
FILTRATION



ELECTRIC PUMP
MODULE



GAS PUMP MODULE



		Hydro Cart Pro/ Hydro Cart Pro 2X	Hydro Cart Pro Battery Boost Pump	Hydro Cart Pro Electric Boost Pump/ Hydro Cart Pro 2X Electric	Hydro Cart Pro Gas Boost Pump/ Hydro Cart Pro 2X Gas
Dimensions	Inches	20 x 21 x 50 / 21 x 32 x 50	20 x 21 x 50 / 21 x 32 x 50	20 x 21 x 50 / 21 x 32 x 50	20 x 21 x 50 / 21 x 32 x 50
Weight	Lbs/ kg	70 lbs/103 lbs	119lbs/ 152 lbs	122 lbs/ 155 lbs	127 lbs/ 160 lbs
Power		Tap pressure	12 volt DC 33 Ah	115 volt AC 60 Hz. 10 amp, 35 ft power cord	Honda gas powered indu- strial engine
Number of poles		1-2	1-2	3-4	3-4
Working hose length	Ft	50	50	50	50
Pure water flow	gpm	.4 - .75 gpm/ 1 - 1.5 gpm	.75 - 1.25 gpm	1.25 - 2.0 gpm/ 2.5-4 gpm	1.25 - 2.0 gpm/ 2.5-4 gpm
RO Membranes		4" dia x 40" length	4" dia x 40" length	4" dia x 40" length	4" dia x 40" length
Concentrate flow rate	gpm	.53 gpm/ 1.1 gpm	.53 gpm	.8 gpm/ 1.6 gpm	.8 gpm/ 1.6 gpm



HIGH REACH KITS



HIGH REACH KITS

Pulex professional window cleaning systems are now featured in high reach kits, with all the components you need to achieve high end results. These high reach kits feature a Pulex HydroCart Window Cleaning system, telescopic poles, hoses and brush attachment and come with a full range of water flow options.

HYDROCART JR SINGLE-STAGE KIT

CLEANS UP TO 5 STORIES



KIT INCLUDES

- ▶ Hydrocart Jr Single-Stage System
- ▶ High Reach Poles
- ▶ Brush Attachment
- ▶ Hoses

CLEANS UP TO 5 STORIES

Kit reach	Pole length	Kit part number
1 STORY	12'	JR-DI-1
1-2 STORIES	25'	JR-DI-2
1-3 STORIES	35'	JR-DI-3
4-5 STORIES	55'	JR-DI-5

HYDROCART COMPACT KIT

CLEANS UP TO 3 STORIES



KIT INCLUDES

- ▶ HydroCart Compact System
- ▶ High Reach Poles
- ▶ Brush Attachment
- ▶ Hoses

CLEANS UP TO 3 STORIES

Kit reach	Pole length	Kit part number
1 STORY	12'	HCC-1
1-2 STORIES	25'	HCC-2
1-3 STORIES	35'	HCC-3
4-5 STORIES	55'	HCC-5

HYDROCART PRO KIT

CLEANS UP TO 5 STORIES



KIT INCLUDES

- ▶ HydroCart Pro System
- ▶ High Reach Poles
- ▶ Brush Attachment
- ▶ Gooseneck Attachment
- ▶ Hoses

CLEANS UP TO 5 STORIES

Kit reach	Pole length	Kit part number
1-2 STORIES	25'	HYDROCART-2
1-3 STORIES	35'	HYDROCART-3
1-5 STORIES	53'	HYDROCART-4E
1-5 STORIES	53'	HYDROCART-4G

POLES AND BRUSHES



QUICK LOCK SECTIONAL POLES

Ultra durable, and easily adjustable, these 5' sectional poles can be configured to clean up to 6 stories.



TELESCOPIC POLES

25', 35' and 45' carbon fiber composite poles made of fiberglass, carbon fiber composites or pure carbon, which makes these poles some of the strongest and lightest on the market.



SPEED AND SLIDE BRUSH

IPC brushes come in multiple materials and are designed specifically for cleaning glass. When paired with the right pole and pure water system, they are key components to deliver sparkling results.



POLE SYSTEM



DESCRIPTION	CODE	DIMENSIONS
Quick lock carbon fiber pole	BD500555	56 ft
Quick lock carbon fiber pole	BD500535-QL	33 ft
Carbon fiber sectional pole	BD500510	5 ft
Carbon fiber sectional pole w/ euro thread	BD500511-DM	2.5 ft
Caddy	BD500510	N/A
Hose	BD500518	40 ft
Hose	BD500517	50 ft
Hose	BD500515	65 ft
Flip lock fiberglass telescopic pole	FG12	12 ft
Flip lock carbon fiber telescopic pole	CFC25T	25 ft
Flip lock carbon fiber telescopic pole	CF35T	35 ft
Flip lock carbon fiber telescopic pole	CF45T	45 ft
Double brush adapter w/ 4" adjustable gooseneck	DBAGN4	26 in
Double brush adapter w/ 8" adjustable gooseneck	DBAGN8	26 in
Double brush adapter w/ 16" adjustable gooseneck	DBAGN16	16 in
Gooseneck	GN4	4 in
Gooseneck	GN5	5 in
Gooseneck	GN8	8 in
Gooseneck	GN16	16 in
Brush adapter w/ euro threads	BD555013-ASM	2 in
Back scrub t-bar kit w/ microtiger sleeve	BSTB10	10 in
Back scrub w/ out sleeve	BSTB10-X	10 in
HD scrub	BSTB10-HD	10 IN
Heavy duty replacement sleeve	T80183	N/A

QUICK LOCK SECTIONAL POLES



FLIP LOCK TELESCOPIC POLES



QUICK LOCK SECTIONAL POLES



SPEED BRUSH AND SLIDE BRUSH



ERGONOMIC

Designed to glide on glass with less fatigue allowing you to clean longer, be more productive, clean faster still getting the great performance you expect.



INNOVATIVE DESIGN

Specifically engineered soft synthetic bristles "flare out" to glide on the window ensuring all corners and edges are cleaned without damaging window frames.



CLEAN FASTER

Utilizes more surface area of the bristles to reduce brush strokes compared to brushes which clean only with the tips of their bristles.



DISTRACTION FREE

Flared bristles prevent brush block hitting the frame and reducing noise for building occupants.



FLEXIBLE

All brushes have a 14" cleaning width and are compatible for use with the double brush adapter for a total of 28".



DOUBLE BRUSH ADAPTER

Enables operator to use 2 speed brushes side by side at the same time, cutting cleaning time in half on large windows or surfaces and can used with synthetic or natural bristle brushes. Available in 4", 8" or 16" gooseneck lengths.

NATURAL FIBER
SLIDE BRUSH



SLIDE BRUSH



SPEED BRUSH



DESCRIPTION	CODE	DIMENSIONS
Slide brush, 2 nozzle w/gooseneck	BD500571	14 in
Slide brush natural, 4 nozzle w/gooseneck	BD500574	14 in
Speed brush 2 nozzle (brush only)	SBZ'	14 in
Speed brush 4 nozzle (brush only)	SBDS	14 in

SCREEN WASHER



UNIQUE SOLUTION

Durable design. Built to be used chemical free, saving money and helping the environment. Simply move the screen through the unique overlapping 36" brush assembly.



TIME SAVINGS

Clean both sides of the screen simultaneously, with reduced effort and no chemicals require. Eliminate screen damage that can be caused by traditional cleaning processes.



SIMPLE FEATURES

The foot valve provides hands free operation to control the water flow to the spray nozzle between screen cleanings. Transport handle makes transportation easy.

Product Part Number	SW2
Body	Heavy gauge powder coated steel tube
Brush	Nylon bristles set in aluminum channels
Spray Bar	Copper with soldered fittings
Dimensions	27" x 17" 39.5"
Weight	18 lbs



CLEANO



CLEANO SERIES



ENVIRONMENTALLY FRIENDLY

The Cleano utilizes IPC North America's pure water cleaning system, which allows for a chemical-free cleaning. When not using chemicals, no residue is left behind, eliminating any streaks and marks.



LABOR REDUCTION

The Cleano can be used safely from the ground and has the ability to clean up to 50'. With no longer needing to reposition and climb up a ladder, labor is reduced by 50%.



FLEXIBLE

The Cleano allows the operator to change out frames using a joint connection system, which makes it easier to clean different surfaces.



VERSATILE

The Cleano can be used in many applications. Some include: indoor glass, windows and walls, furniture, tables and desks, work benches, doors, showcases, mirrors, elevators, glass refrigerators and indoor window sills.



ERGONOMIC

The Cleano was specifically designed to be extremely comfortable. With its easy-grip handle and lightweight construction, it is easy to use for everyone.



DESCRIPTION	CODE	DIMENSIONS
CLEANO 1	CL1	1 ft
CLEANO 2	CL2	2 ft
CLEANO 5	CL5	5 ft
CLEANO 10	CL10	10 ft
CLEANO 25	CL25	25 ft
CLEANO 35	CL35	35 ft
CLEANO QUICK LOCK 5'	HC5-QL	5 ft
FRAME	COPL70200T	10 in
GLASS PAD GREEN	FRAN01001	10in
GREEN SPOT MOP	FRAN01108	10 in
FRAME	COPL70204SST	16 in
GLASS PAD GREEN	FRAN01000	16 in
GREEN SPOT MOP	FRAN01036	18 in
OUTDOOR WATERFED POLE KIT	T80227	N/A

HYDROSTATION



TRANSPORTABLE

The HydroStation can easily be stored on a trailer, allowing the owner to transport it from facility to facility



ENVIRONMENTALLY FRIENDLY

With its 4-stage filtration process, including reverse osmosis and deionization, mineral-free water is produced and can be used to clean windows without the use of chemicals.



EASY TO USE

The HydroStation can clean up to 5 stories high without needing to use a ladder, lifts, or scaffolding, making it a safer choice for many window cleaning professionals.



PRODUCTIVE

The HydroStation can produce high quantities of pure water to clean large commercial facilities: HS1 with 2 GPM, HS2 with 4 GPM and HS3 with 6 GPM.



	CODE	USERS
HYDRO STATION 1	HS-1	1 OR 2
HYDRO STATION 2	HS-2	2 OR 3
HYDRO STATION 3	HS-3	3 OR 4
Pressure washer kit hose, reel gun and assembly	HS-PWK-1	
Garden hose reel	HS-LPH-50	

HYDROSTATION

HYDROSTATION WITH ACCESSORIES



PULEX TOOLS

Unbreakable, ergonomic professional window cleaning tools with versatile, non-slip handles offer the best experience when cleaning windows and glass.



UNIHANDLE

The innovative Pulex UNIHANDLE is an ergonomic handle, completely versatile and made with high quality materials. Matched with three different accessories; combi, squeegee and scaper version.



BRASS SQUEEGEE

The brass squeegee is a classic tool used by window cleaners. The rubber blade is secured in the channel by two clips at either end, enabling the adjustment of the tension of the rubber blade. Available in nine sizes ranging from 6" to 22".



TECHNOLITE SERIES

Technolite combines the classic qualities of easy handling and smooth movement with new features that improve performance in all conditions. The ergonomic grip, made of a uniquely blended material, makes it comfortable for all jobs. Available in sizes from 10" to 22".



STAINLESS STEEL SQUEEGEE

The stainless steel squeegee can be disassembled into three components: the supporting channel, rubber blade and the handle with a securing spring. The handle is versatile enough to be used as a scraper. Available in sizes ranging from 6" to 22".



MICROFIBER SLEEVE

The microfiber sleeve, part of IPC Pulex's Window Cleaning Tools line, removes dirt effortlessly with little to no cleaning fluid. Available in four sizes ranging from 10" to 22".



MICROTIGER SLEEVE

The microtiger sleeve, constructed of top-performance microfiber fabric, is a great tool for professional window cleaning. The microfibers can penetrate right into the microscopic pores, removing dirt quickly and easily. Available in four sizes ranging from 10" to 22".



PLASTIC SQUEEGEE

The plastic squeegee, made up of top-quality plastic, is a popular window cleaning tool around the world. Available in six sizes ranging from 8" to 18"



ALUMINUM SQUEEGEE

The aluminum squeegee has been improved and enhanced for window cleaners seeking a lightweight tool that replicates the continuous swirling S-patterns required for cleaning windows smoothly and spot-free.



ALUMAX SQUEEGEE

The alumax squeegee is an extra-long squeegee with a high impact, aircraft-grade aluminum alloy. Easily cleaning windows in 1/3 of the time because of its long, 31 inch handle.



SQUEEGEETECH

The squeegetech is complete with a 360 degree swivel and is equipped with a microfiber pad that allowed for easy application. The squeegetech handle is universal with all telescopic poles.



PLASTIC T-BARS

The Pulex plastic T-bars are apart of IPC Pulex Professional Window Cleaning line and come in five designs and five sizes ranging from 10" to 22".



ALUMINUM T-BAR

The Pulex aluminum T-bar has an aluminum bar with a durable nylon handle. It is lightweight and easy to use for window cleaning professionals. Available in sizes ranging from 10" to 22".



SWIVEL T-BAR

The Pulex Swivel T-Bar made with a rigid aluminum bar with a plastic handle that swivels. This design allows you to scrub windows at any angle.



TUBEX HOLSTER

The Tubex Holster offers a convenient way to keep tools, such as those from IPC Pulex's commercial window cleaning equipment line, handy and easy to access.



BUCKETS

The Window Cleaning BUCKets are six gallon plastic/nylon buckets with optional casters, making the buckets easy to transport. Available in a range of five colors.




SCRAPERS AND BLADES

IPC Scrapers and Blades come in various lengths for scraping windows as well as floors. Plastic is available in 4" or 10" blade. Aluminum is available with 4", 10" or 48" blade.



MUSTIK FLOOR SQUEEGEE

The Mustik Floor Squeegee is made of a heavy duty plastic and comes in three versions: black for general use, red for oils and white for food service.



NIPPER REACHERS

Nipper reachers, part of the IPC Pulex commercial cleaning supplies line, assist in grabbing and disposing of objects without contact.



STICKER RODS

The Sticker Rod, part of IPC Pulex's commercial cleaning supplies line, can pick up rubbish and waste without contact.

IPC North America

12450 Oliver Ave South | Burnsville, MN 55337

800.486.2775

www.ipcworldwide.com/us