



IPC

BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

705

MAX PRODUCTIVITY

3150 m²/h

MAIN BRUSH PATH

700 mm

VOLTAGE SYSTEM

12 v



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS



SOFT
CLEANING
SURFACE



DBL™
DOUBLE
BATTERY
LIFE

SPECS



INTUITIVE CONTROL PANEL



LARGE FRONTAL WASTE TRAY



EASY MAINTENANCE

TECHNICAL DATA

		705 ET
Code		MSUT00697
PERFORMANCE		
Main brush cleaning path width	mm	700
Side brush cleaning path width	mm	900
Max theoretical productivity	m ² /h	3150
Voltage	V-Ah	12
Installed power	W /HP	485
Hopper capacity	l	65
Hopper Discarghe System	Type/mm	Low-Manual
Filtering surface	m ²	3
Fylter type		Panel -paper
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	75
Dimension (LxWxH)	mm	1160x810x1000

STANDARD ACCESSORIES

		705 ET
BRUSHES		
MAIN BRUSH		SPPV76062
SIDE BRUSH		SPPV76057
FILTERS		
FILTER		FTDP76066

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
Acid flat plate battery BAAC00011	1	12V 60 Ah (C5)	278x175x190	70	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid flat plate battery BAAC00012 *	1	12V 75 Ah (C5)	325x175x212	90	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001

* RECOMMENDED WITH MPVR00610

RECOMMENDED BATTERIES AND BATTERY CHARGERS