



SCRUBBER DRYERS - WALK BEHIND

CT90

MAX PRODUCTIVITY

3825 m²/h

BATTERIES
RUNNING TIME

4 h

WATER TANK
RUNNING TIME

80'
working session



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS



ECO
SELECT



SLS™
SELF
LEVELING
SYSTEM

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM (OPTIONAL)



"V"-SHAPED SQUEEGEE

TECHNICAL DATA

		CT90 BT70 LPTB01422	CT90 BT85 LPTB01423
Code			
PERFORMANCE			
Max theoretical productivity	m ² /h	3150	3825
Cleaning path	mm	700	850
Water tank capacity (solution recovery)	l	85/90	85/90
Max running time	min	270	270
Voltage	V-Ah	24(4x6) - 180 GEL	24(4x6) - 180 GEL
Installed power	W	1440	1440
Brush pressure	kg	31,4	37
Squeegee width	mm	942	942
Max speed	km/h	4,2	4,2
Weight (Without Batteries)	kg	98,4	104
Dimension (LxWxH)	mm	1328x748x1025	1444x893x1025

STANDARD ACCESSORIES

	CT90 BT70	CT90 BT85
BRUSHES		
PPL SOFT	2xSPPV01472	2XSPPV02648
SQUEEGEE BLADES		
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT



CODE: KTRI01573
DISCHARGE HOSE



CODE: KTRI01871
SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	240 min	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246x192x275	240 min	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah (C5)	240x190x275	240 min	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134 Stand alone low frequency 24V 30Ah - BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER