



## TECHNICAL DATA

		CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT85	CT70 BT55 R	CT70 BT70 ECS
Code		LPTB01414	LPTB01416	LPTB01417	LPTB01418	LPTB01419	LPTB01420	LPTB02379
<b>PERFORMANCE</b>								
Max theoretical productivity	m <sup>2</sup> /h	1925	2475	2700	3150	3825	2475	3150
Cleaning path	mm	550	550	600	700	850	550	700
Water tank capacity (solution recovery)	l	70/75	70/75	70/75	70/75	70/75	70/75	70/75
Max running time	min	78	78	78	78	78	78	78
Voltage	V-Ah	24[2x12] - 105 GEL	24[2x12] - 105 GEL	24[2x12] - 105 GEL	24[2x12] - 105 GEL	24[2x12] - 105 GEL	24[2x12] - 105 GEL	24[2x12] - 105 GEL
Installed power	W	1030	1230	1440	1440	1440	2380	1400
Brush pressure	kg	18,5	18,5	30,5	31,5	31,5	13,6/18,6	15-37
Squeegee width	mm	815	815	815	1010	1010	815	1010
Max speed	km/h	3,5	4,5	4,5	4,5	4,5	4,5	4,5
Weight	kg	72	80	94	93	95	100,2	95
Dimension (LxWxH)	mm	1230x587x960	1230x587x960	1210x680x960	1220x748x960	1260x893x960	1260x893x960	1220x748x1140

## STANDARD EQUIPMENT

### BRUSHES

	CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT85	CT70 BT55 R	CT70 BT70 ECS
PPL SOFT	SPPV01505	SPPV01505	2XSPPV01473	2xSPPV01472	2xSPPV01516	-	2xSPPV01481
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	-	-	SPPV01163	-
PAD HOLDER	-	-	-	-	-	-	2xSPPV01268

### SQUEEGEE BLADES

LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

## CONSUMABLES (Codes available on price list)

### BRUSHES



### CYLINDRICAL BRUSHES



### PADS/SUPER PADS



### SQUEEGEE BLADES



## OPTIONAL ACCESSORIES

CODE: KTRI01763  
CHEM DOSE KIT



CODE: MPVR05611  
SPLASH GUARD (FOR BT55)



CODE: KTRI01573  
DISCHARGE HOSE



CODE: KTRI01870  
SOLUTION TANK DRAIN AND LEVEL HOSE KIT



CODE: KTRI02257  
EXTERNAL SUCTION KIT



CODE: KTRI02274  
ACCESSORIES SUPPORT KIT



CODE: PRCH00578  
BIOSAN RAPIDE WT (30PCS/30DAYS)



## BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [ C5 ]	345x170x285	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [ C5 ]	345x174x283	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [ C5 ]	308x175x225	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [ C5 ]	261x171x210	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [ C5 ]	345x170x285	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGER