

### **VACUUM CLEANERS - SPECIAL SOLUTIONS - FLOODED AREA EMPTYING**

# **GS 1/41 SUB**

**POWER MAX** 

WATER LIFT

**AIRFLOW** 

**TANK CAPACITY** 

2470

### **EXCLUSIVE FEATURES**

- **AP TUBE**
- **INNOVATIVE GASKET**
- **STRONG HOOKS**
- **SEALANT FLOATER & INTEGRATED ANTIFOAM**
- RELIABLE CONSTRUCTION **FOR INTENSIVE USE**
- **SUBMERSIBLE PUMP**
- **DOUBLE STAGE MOTOR**



### **MOST FREQUENTLY USE**

### **HO.RE.CA. & HEALTHCARE**



BLACK

**INNOVATIONS** 



### **AGRICULTURE**

## CONSTRUCTION

**HARDWARE CUSTOMER** 

### **HEAVY INDUSTRY**

### **SPECS**



SUBMERSIBLE PUMP



WATER FLOW VALVE



POWER SOCKET ON BOARD (FOR PUMP)

| 1/41 | CLID |
|------|------|
|      |      |
|      |      |

| Code  |       | ASD013245     |
|---|-------|---------------|
| PERFORMANCE   |       |               |
| Usage   |       | WET           |
| Motor   |       | 1x2 stage     |
| Power   | W     | 1000-1200 max |
| Voltage   | V     | 220-240       |
| Water lift  | mmH2O | 2470          |
| Airflow   | m³/h  | 210           |
| Tank Capacity/Material  | l     | 41/steel      |
| Cable length  | m     | 8,5           |
| Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69) | dB(A) | 75            |
| Pump type   |       | Plastic       |
| Pump power  | kW    | 0,37          |
| Pump capacity   | l/min | 180           |
| Solids diameter for pumping out                                 | mm    | 20 max        |
| Delivery head   | m     | 7             |
| Diameter of accessories   | mm    | 38            |
| Dimensions (LxWxH)  | mm    | 380x380x900   |
| Weight  | kg    | 20,0          |
|   |       |               |

### **STANDARD EQUIPMENT**

CODE: TBFX01277

EXTRA STRONG FLEXIBLE
HOSE 5 m Ø38 mm



CODE: LAFN43048 (FOR 1 PC)
ALUMINIUM/PLASTIC
TUBE 50 cm Ø38 mm
(MACHINE COMES WITH 2PCS)



CODE: MPVR43047

HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: SPPV43051 WET TOOL Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: SPPV43052

ROUND BRUSH Ø38 mm



CODE: MPVR43049 ADAPTER



### **OPTIONAL ACCESSORIES**



To connect to water flow valve