



IPC

BY TENNANT COMPANY

WASHING AND WEED REMOVAL SYSTEM

GREEN JET 7510

PRESSURE

75
bar

FLOW RATE

600
l/h

ABSORBED POWER

1,9
kW



EXCLUSIVE TECNOLOGIES

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT AUTOMATIC SWITCH OFF - IASF
- ▶ DRY RUNNING PROTECTION - DRP
- ▶ LIMESCALE/CORROSION PROTECTION UNIT - LCPU
- ▶ ANTISCALE LEVEL CONTROL - ALC
- ▶ INFRARED FLAME CONTROL SYSTEM - FCS
- ▶ MAINTENANCE CHECK LED - MCL

MOST FREQUENTLY USE

AGRICULTURE



PUBLIC WORK



MUNICIPALITIES



MULTIFUNCTIONAL MACHINE: WEEDING, CLEANING AND WASHING

INNOVATIONS



AMSC™
ADVANCED
MULTIFUNCTION
SAFETY CONTROL



MODERN
MODULAR
BUILD-UP



IPC'S
EXCLUSIVE
BOILER



M421
ANTI-SCALE

SPECS



EQUIPPED WITH TWO FIXED PNEUMATIC WHEELS AND TWO PIVOTING ONES. (ONE PIVOTING WHEEL IS EQUIPPED WITH A BRAKE).



WATER SUPPLY FROM WATER MAINS OR WITH EXTERNAL TANK.



COMPLETE CONTROL PANEL TO MONITOR MACHINE FUNCTIONS.

TECHNICAL DATA

GREEN JET 7510 M		
Code	GNVA40078	
Operating pressure	bar/Mpa	75/7,5
Flow rate	l/h	360
Outlet water temperature max	°C	~100 (constant temperature)
Power supply	Ph-V-Hz/A	1-230-50
Absorbed power	kW	1,9
Motor power	rpm	4-1400
Remote control	DTS	
Pump/head	lpc plunger/brass/ceramic	
Boiler thermal power	kW	75
Fuel consumption	Kg/h	6,3
Fuel tank	l	18
Antiscale tank	l	2
Dimension (LxWxH)	cm	83x109x100
Weight	Kg	75

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR89117
EXTENSION PD70 INOX 0°



CODE: UGLN02299
H.P. NOZZLE 1/4 1506
(2PC)



CODE: TBAP40229
H.P. HOSE 10 m 1/4''



CODE: LCLC40025
70 cm LANCE WITH SPRAY
BAR (SPRAY BAR L= 50 cm)



OPTIONAL

CODE: PRCH40040
ANTI-SCALE TREATMENT
M421 10 Kg

