



IPC

ONE **STEP** AHEAD

ADDRESSING NEW CLEANING CHALLENGES

Cleaning is consistently evolving, as we seek to meet higher hygiene standards ever more effectively.

IPC is closely connected to the latest and best practises of cleaning and is committed to deliver new solutions that boost cleaning efficiency, addressing those areas and tasks that are evolving fastest.

We have thus developed a complete range of new solutions, responding to the latest precautionary practises focused to protect communities all around the world.



NEW HIGH PRESSURE WASHER

OUTLET WATER TEMPERATURE

100°C



PW-H100 HTM

Unique water temperature stability both for high and low pressure modes

PRESSURE: 30-200 BAR

FLOW RATE: 900 L/H

OUTLET WATER TEMPERATURE: 100°C
AT MAX FLOW/PRESSURE WITH 12°C WATER INLET TEMPERATURE



ETSC™
Electronic
Temperature
Stabilizer
Control



HTM
High Temperature
Master

NEW STEAM GENERATOR

INCOMPARABLE STEAM



SG-50
WITH INTEGRATED TROLLEY


Unique steam temperature stability combined with special accessories designed to maximize cleaning performances.

Designed for very narrow spaces and aisle ways.

OPERATING PRESSURE: 4,5-7 BAR (MODEL S 5014 T)

OPERATING STEAM TEMPERATURE: 160° C

FLOW RATE: 0-140 G/MIN (MODEL S 5014 T)



NEW WORKING STATION SOLUTION: STEAM GENERATOR AND TROLLEY

MULTIPURPOSE STEAM TROLLEYS



MULTIPURPOSE STEAM
TROLLEY SG-50

MULTIPURPOSE STEAM
TROLLEY SG-10

Integrated working stations to optimize cleaning efficiencies.

Modular trolleys combined with SG-50 or SG-10 steam generators.

NEW SPRAYING SYSTEM

SPRAYING SYSTEM

- Built in and portable plug in system.
- Easily retrofittable on scrubber-driers.
- Highly reliable piston pump with brass fittings

TANK CAPACITY: 15 L

**BATTERY TYPE: LI-ION BATTERY 12 V - 8 AH
(3,5 H RUNNING TIME)**

SPRAYER SPECS ON SCRUBBER:

- Spraying path: 850/1200 mm
- Full tank productivity: from 2500 to 3000 sqm/h
- Full tank run time: approx. 45 min
- Automatic spray stop-start: upon scrubber movement

MODULAR SPRAYING SYSTEM



4 IN 1



Spraying lance from operator position



Trolley Spray



Backpack Spray


NEW VACUUM CLEANERS

ALL IN ONE VACUUM TO SPRAY



GP 1/27 EXT SPRAY
GP 2/62 EXT SPRAY

- Vacuum-spray, double function machine.
- Injection/extraction functions included.
- HEPA Dual Filtration System



0,16 MICRON HIGH FILTRATION



GS 1/33 H ISO5 ULPA



- ULPA filtration with aerosol cartridge leak test.
- H Certification according IEC 60335-260 AA.

UPSTREAM TESTED FILTERING MATERIAL:
ULPA U15 99.9995% MPPS EFFICIENCY

DOWNSTREAM TESTED FILTERING MATERIAL:
HEPA H14 99,995% MPPS EFFICIENCY

MEDICAL COMPLIANCE TO IEC 60601-1

ISO 5 PHARMACEUTICAL COMPLIANCE TO ISO 14644-1



NEW TOUCHLESS DISPENSER

TOUCHLESS DISPENSER STATION



CHEMICAL DISPENSER STATIONS

- Touchless dispenser model ensures maximum safety
- Dispenser stations studied to contain gloves, wipes, thermometer, etc.
- Also available with no touch waste container



Touchless
Solution



Push
Button
Solution

NEW TROLLEYS

HYGIENE TROLLEYS



PT01



PT02



PT03

- Designed to use mopping in pre-impregnation mode
- Range covers disposable or microfiber mops
- Trolley material in recycled plastic

NEW DISPOSABLE MOPS AND WIPE

EFFICIENT ***DISPOSABLE***



- Studied both for mops and wipes.
- Excellent results with the highest quality.



MOPPING WIPES:
Disposable Microfiber Mop 42 x 14 cm.
100% Polyester

Dry Wipe Mop 42 x 13 cm.
60% Polyester 40 % Viscose



MULTI PURPOSE WIPE:
Disposable Multipurpose Wipe 30 x 30 cm.
40% Polyester 60% Cellulose.



IP Cleaning Srl
Viale Treviso, 63
30026 Summaga di Portogruaro (VE) - Italy
Tel. +39 0421 205511 - Fax +39 0421 204227

IPC Tools SpA
Via dell'Artigianato II, 1
35010 Villa del conte (PD) - Italy
Via 11 Settembre, 4 - Ronchi
35010 Villafranca Padovana (PD) - Italy
Tel. +39 049 9070625 - Fax +39 049 9070660

info@ipcworldwide.com - www.ipcworldwide.com

