



IPC

BY TENNANT COMPANY

EKOS

INSTANT SATURATION SYSTEM

IPC's new saturation system, smart, safe, and environmentally friendly



EKOS INSTANT SATURATION SYSTEM



IPC

BY TENNANT COMPANY

EKOS

OVERVIEW

WHY **EKOS**

MAIN FEATURES

TECHNICAL DETAILS

PRODUCT FIT

EKOS INSTANT SATURATION SYSTEM





IPC

BY TENNANT COMPANY

OVERVIEW

EKOS, IPC's rapid saturating system, revolutionises the traditional approach.


Unlike the conventional pre-saturating method that requires mops to be saturated at least four hours before use, EKOS streamlines the process by delivering the cleaning solution directly on-site.



EKOS INSTANT SATURATION SYSTEM



WHY EKOS



Time Optimization

The saturating process takes place directly on-site, without the need for initial mop preparations.




Smart system

Easy and intuitive to use, no special training required.

EKOS INSTANT SATURATION SYSTEM



WHY EKOS



Precise and effective

Available in both single and double container versions that operate independently, offering versatile solutions for cleaning and sanitising.



Safe system

To prevent tampering and inappropriate use, the tank are equipped with safety keys and the lever is equipped with a safety hook.





IPC

BY TENNANT COMPANY

WHY EKOS



Environmental Consideration


- Only the necessary cloths are saturated, saving on unnecessary washing of previously pre-saturated and unused replacements.
- A side lever allows for precise dosing of the sprayed product, further reducing waste.
- **EKOS** is a mechanical system: simply push the lever to mist the detergent.

EKOS INSTANT SATURATION SYSTEM



IPC

BY TENNANT COMPANY



Mechanical Levers

designed to activate the misting of product onto the cloth, equipped with a mechanical stop to prevent accidental use

Graduated Containers

(5-liter capacity) with a handle and a cap featuring a lock with a safety key

Nozzles with misters

for a more precise distribution of the product on the cloth. Two in the single-container version, four in the double-container version

Removable Tray

for convenient cleaning

Selection Lever

for dosing the solution, with options for 50 or 100 ml

MAIN FEATURES

EKOS INSTANT SATURATION SYSTEM

TECHNICAL DETAILS

Article code	KTRI06648	KTRI06649
Description	Ekos single	Ekos double
Size (mm)	560 x 370 x 590 h	560 x 370 x 590 h
Weight (kg)	5,1	6,1
Composition	tank: PE Frame: PST/POM/PA/STAINLESS STEEL	
Packaging size (mm)	580 x 400 x 540 h	580 x 400 x 540 h
Packaging volume (m3)	0,126	0,126
Pack	1 pieces	1 pieces






IPC

BY TENNANT COMPANY

PRODUCT FIT

Installed in trolleys

- BRIX School
- BRIX PT
- GAMMA PT (PT 01-03)
- BRIX Light



Usable with flat mops
measuring 40/45 cm

EKOS INSTANT SATURATION SYSTEM





IPC

BY TENNANT COMPANY

THANK YOU

EKOS INSTANT SATURATION SYSTEM

WWW.IPCWORLDWIDE.COM